## **Defense-in-Depth Strategy**

Michael Allred - State of Utah

# 2005 Annual Security Conference Digital Citizenship - Utah at Risk


March 7 - 8, 2005











# Defense-In-Depth Strategy Why the need?

- ✓ What are you most worried about?
- ✓ What are you biggest security concerns?
- √What keeps you up at night?



# Defense-In-Depth Strategy Why the need?


- √What are the threats today?
- ✓SpyWare
- ✓ Identity Theft
- √ Phising / Pharming
- ✓PDA/cell phone theft
- ✓ Hacker
- ✓ Disgruntled Employees














## Defense-In-Depth Strategy

- √What should we do?
  - Secure the network and the world we will a better place?
- √How many of you feel more secure because you have to take you shoes off at the airport?



## Defense-In-Depth Strategy

- A Defense-In-Depth Strategy Provides
  - ✓A holistic end-to-end security frameworks
  - ✓Layered approach
  - ✓Multiple points of security enforcement
  - √Keep it simple



# Defense-In-Depth Strategy Benefits

- A Defense-In-Depth Strategy Benefits
  - ✓ Reduces an attackers chance of success
  - ✓Increase the probability of detection
  - √Contains the size of exposure
  - ✓Protects the confidentiality, integrity and availability (CIA) of critical state information and assets



### Defense-In-Depth Strategy

Simplicity in our approach

- A Simplicity approach
  - ✓ Routine technologies rather and depend on complex schemes
  - ✓ Easier to protect, secure and maintain
  - √Easy to understand and implement



### Defense-In-Depth Strategy

#### Example

- √ SpyWare
  - Block Access to SpyWare sites
    - · Gator, Marketscore, Weatherbug
  - Stop SpyWare Installations
    - Drive by web installs
  - Log and Report Activity
    - Weekly SpyWare Reports
  - Scan and remove from Desktop
  - Inform and educate users
    - "I just want a Finding Nemo screen saver"



### Defense-In-Depth Strategy

Layered Approach

- ✓ Policy, Procedures, and Awareness
- √ Physical
- ✓ Perimeter
- ✓ Network
- √Systems
- ✓ Applications
- ✓ Data





### Defense-In-Depth Strategy

Policy, Procedures and Awareness

- √ Security Policies in place
- ✓ Employees are trained and understand policies
- ✓ Regular Review of Security Policies
- ✓ Employee known their roles and responsibilities





## Defense-In-Depth Strategy

The Human Factor

- More security processes than technology
- People will work around security if it is to complicated
- People are the weakest link, and the biggest threat is often from within.
- Employees often can make mistakes and be careless.
- Disgruntled, dissatisfied or careless employees can be a threat.
- Employee awareness, training and education are essential.





## Defense-In-Depth Strategy Physical Access and Environmental Controls

- ✓ Appropriately badge to enter protected
- ✓ Physical locks to prevent access to systems.
- ✓ Physical layers or zones depending on security requirements.
- ✓ Multi factor authentication to access areas.
- ✓ Computers, desktops and data mediums are secured when not in use.
- ✓ Environmental controls ensure there is no damage to the critical systems.





### Defense-In-Depth Strategy

Perimeter Defense

- ✓ Perimeter firewall protection.
- √ Logging, analysis, and reporting of attempted
- √ Elimination of clear text and other services that can expose internal systems to external threats
- ✓ Encryption of incoming network traffic destined for more secure internal systems





## Defense-In-Depth Strategy

- ✓ Bastion host and proxy services
- ✓ Authentication required for access to internal services
- ✓ Allow external traffic to specified networks
- ✓ External vulnerability assessments





## Defense-In-Depth Strategy

Network

- ✓ Intrusion Detection
- ✓ Intrusion Prevention
- ✓ Network Segmentation
- ✓ Non-routable IP addresses
- ✓ Web content filtering
- √ Network based anti-virus
- ✓ Network vulnerability assessments
- ✓ Authentication required for network devices





## Defense-In-Depth Strategy

Systems

- ✓ Standard system configurations
- ✓ Asset management
- ✓ Strong authentication
- ✓ Change control and management
- ✓ Patch and update management
- ✓ Host based intrusion detection
- ✓ Host based anti-virus
- ✓ Host based firewalls





#### Defense-In-Depth Strategy

Application

- ✓ Application development life cycle methodology
- ✓ Change control including peer and security reviews
- ✓ Authentication required applications layer
- ✓ Logging and audit build into application
- ✓ Email SPAM and virus filtering
- ✓ Risk review for new systems





## Defense-In-Depth Strategy

Data

- ✓ Encrypted of data when stored
- √ Segmentation of data
- ✓ Authentication required to access data outside of application
- √ Authorization based on roles
- ✓ Logging, auditing and reporting of data access
- ✓ Limit access using access control list





## Defense-In-Depth Strategy

Overview

- A Defense-In-Depth Strategy Provides
  - √A holistic end-to-end security frameworks
  - ✓ Layered approach
  - ✓ Multiple points of security enforcement





#### **DEFENSE-IN-DEPTH STRATEGY FOR THE STATE OF UTAH**

October 2004, Version 1.0

This document defines the overall strategy for the State of Utah Security Model. A Defense-in-Depth strategy provides a holistic end-to-end security framework for the State infrastructure, layering several security components to achieve multiple points of security enforcement. Assuming the worst happens and incursion takes place, it becomes imperative to detect, contain, and correct the breach. Using a Defense-In-Depth approach reduces an attacker's chance of success while increasing the probability of detection.

The Defense-In-Depth strategy is part of the State's plan to build an infrastructure that protects the confidentiality, integrity, and availability (CIA) of critical information and assets. The goal is to create an architecture that can withstand attacks or disasters of any kind. An infrastructure, employing multiple layers of defense, can be designed to secure the State from losses due to a single incursion.

The State is also aware that it is often more practical to implement multiple, sometimes routine, technologies than it is to depend upon complex, elaborate schemes that potentially include single points of failure. A simple infrastructure is easier to protect, secure, and maintain than a large complex system. While simplicity is not always realistic in a large enterprise like the State of Utah, the State must attempt to develop an architecture that is easy to understand and maintain.

Where a single point of control can become a single point of failure, each layer in a Defense-In-Depth strategy backs up the preceding layer. When incursions occur the outer layers limit the amount of exposure. Multiple layers must be peeled back before valuable assets are fully exposed.

The best strategies provide effective protection of valued assets while allowing commerce to flourish. In addition, the concentric rings of a layered defense, such as the Defense-In-Depth strategy, allow for controlled and monitored access at each layer.

The Depth-in-Defense strategy is composed of the following layers:

- Policy, Procedures, and Awareness
- Physical
- Perimeter
- Network
- Systems
- Applications
- Data





#### Policies, Procedures, and Awareness

People are the foundation of any good security model. The most secure system is only as secure as the person administrating the system or the users accessing it. At the base of the Defense-In-Depth strategy is the policies, procedures, and awareness that let people know what their roles are and what is expected of them. Methods include:

- Security policies are in place and employees are aware of them.
- Security policies and procedures are reviewed on a regular bases.
- Employees are trained on their responsibilities to ensure the security of systems and data.
- The human factor must be taken into account:
  - o Implemented more security processes than technology.
  - o People will work around security if it is to complicated
  - o People are the weakest link, and the biggest threat is often from within.
  - o Employees often can make mistakes and can be careless.
  - o Disgruntled, dissatisfied or careless employees can be a threat.
  - o Employee awareness, training and education are essential.

#### **Physical (Access and Environment Controls)**

This layer wraps around the core components to maintain and control physical access and the environment of the devices. This layer ensures that only appropriate physical access is allowed to the systems. This layer also includes environment controls to ensure that systems do not receive damage from temperature, water, or electrical service failures. Methods include:

- Employees have appropriately badge to enter protected areas.
- Physical locks and controls are in place to prevent access to systems.
- Physical layers or zones in place depending on security requirements.
- Required n-factor authentication to access areas that demand increased security.
- Individual computers and desktops are secured and locked when not in use.
- Environmental controls are in place and monitored to ensure there is no damage to the critical systems.

#### Perimeter (First Line of Defense Between the Internet and Internal Networks)

This layer is the border between the external world and the internal State network and systems. The perimeter service acts as the hard outer shell that protects all that is inside. This layer must allow traffic and commerce to take place while eliminating as many threats as possible. Methods include:

- Perimeter firewall protection.
- Firewalls between the State's IT assets and the Internet are essential.
- Logging, analysis, and reporting of access.
- Elimination of clear text and other services that can expose internal systems to external threats.
- Encryption of incoming network traffic destined for more secure internal systems, such as:



- o VPN
- o SSL
- o Secure Shell
- Bastion host and proxy services funnel services and limit exposure.
- Proxy cache and other technologies to limit the exposure of internal systems to external services.
- Authentication of employees accessing the network.
- DMZ and filtered networks are in place to only allow external traffic to specified areas and zones.
- Regular vulnerability assessment and penetration testing done to identify weakness and proactively resolve potential problems.

#### **Network (Internal Network Layer)**

This layer contains methods to protect the network by monitoring traffic types and segmenting traffic via different security models. These methods include:

- Intrusion detecting and alerting in place to identify proactively respond to problems
- Intrusion prevention systems to allow for automated response to potential security breaches.
- Network traffic shaping and flow to determine patterns and identify potential risks.
- Network segmentation:
  - o Separated network via agencies and security levels.
  - o VLAN used to separate traffic and limit access between agencies
  - o MPLS to tag traffic from individual agencies.
- Access control lists (ACLs) that block traffic and ensures that only those individual IP addresses can access systems and services.
- Non-routable IP addresses are used where possible to keep internal State services from exposure to external networks.
- Internet and Web filtering to protect users from accidentally surfing to inappropriate or hazardous Web sites.
- Network based anti-virus software to eliminate virus and worms before they reach other layers
- Regular vulnerability assessment and testing of network services

#### **Systems (Server and Client Operating System Hardening Practices)**

This layer contains methods for standard installation and configuration of operating systems. Those services and programs not specifically needed are not loaded or never turned on. Changes to systems are detected and traced. Change Management processes are used to ensure only appropriate and known changes are made to production systems. Methods used to protect these systems include:

- Establishment of standard configurations across all platforms
- Asset management is implemented to track asset location, use, and disposal.
- Strong authentication and passwords are used
- Change Management and Change Control is rigorously followed and support by all employees.



- Patch management practices are in place to ensure systems are up to the latest possible security patches
- System vulnerability assessments are done constantly to identify possible new vulnerabilities and react quickly.
- Host base intrusion detection and firewall are in place to stop or detect unexpected activity on host systems.
- Anti-virus software is in place and updated on all workstations and servers.

#### **Application (Application Hardening Practices)**

This layer contains the applications that run on the host systems and manipulate the data. This layer must ensure that applications do not introduce security vulnerabilities that allow for unauthorized access or unexpected manipulation of data. This layer also must ensure the integrity of data. Methods to protect the application in this layer include:

- Formal change management review and controls.
- An application development life cycle is used and includes a security review.
- Authentication and authorization to application is required
- Logging and auditing of authentication is built into the application.
- E-mail spam and anti-virus filtering are implemented.

#### **Data (Protection of Customer and Private Information)**

This layer contains protection and counter measures concerned with protecting the most valuable asset in the infrastructure. This layer contains the data and information that is collected by the State about the citizens and consumers of State services. Methods used to protect data in this layer include:

- Encryption of data when it is transmitted and stored, using multiple technologies, including database encryption.
- Data classification is done to ensure the protection of the most sensitive data.
- Segmentation of data based on required levels of security and confidentially.
  - o Don't keep all you eggs in one basket.
- Authentication is required to access data even outside of the application.
- Authorization to access data is based on an individual's role.
- Logging, auditing, and reporting of data access is done
- Access control lists (ACLs) are used to limit access to data based on individual roles.

#### References

"Microsoft Security Guidance Training I," 2004; Microsoft Corporation.

"Second Skin," January 3, 2004; Computer Business Review Online.

"Survivability: Protecting your Critical Systems," 1999; Carnegie Mellon—CERT Coordination Center. <a href="https://www.cert.org">www.cert.org</a>



"The Standard for Good Security Practices for Information Security," March 2003; Information Security Forum (ISF).